

Macracote Extra

15 3 8 + TE

8 to 9 Months

GUARANTEED ANALYSIS

MACRO ELEMENTS Total Nitrogen (N) 15 %w/w Nitrogen (N) as urea 7.8 %w/w Nitrogen (N) as ammonium 4 %w/w Nitrogen (N) as nitrate Total Phosphorus (P) 3.2 %w/w 3.3 %w/w Water soluble Phosphorus (P) 3 % w/w Citrate soluble Phosphorus (P) 0.3 %w/w **Total Potassium (K) as sulphate** 8.4 %w/w

MICRO ELEMENTS

| Sulphur (S) as sulphate | 5.1 %w/w |
|----------------------------|-----------|
| Magnesium (Mg) as sulphate | 0.78 %w/w |
| Iron (Fe) as sulphate | 0.37 %w/w |
| Zinc (Zn) as sulphate | 0.58 %w/w |
| Manganese (Mn) as sulphate | 0.04 %w/w |
| Boron (B) | 0.01 %w/w |

RELEASE RATES

Based on laboratory testing

Temperature in degrees C

| 5 | 10 | 15 | 20 | 25 | 30 | 35 | |
|--|-----|-----|-----|-----|-----|-----|--|
| Approximate days for release | | | | | | | |
| 360 | 340 | 330 | 310 | 300 | 270 | 240 | |
| When choosing a release rate take into account | | | | | | | |
| variation between day and night temperatures. | | | | | | | |

The above is only a guide as all fertilizers are affected by the complexity and variety of field conditions.

SUGGESTED USAGE RATES

Potting Mixes

2.5 to 5.5 kg per cubic metre. Four kilograms per cubic metre is a common usage level.

Dibbling

2 to 4 kg per cubic metre, divided by the number of pots per cubic metre. See the guide below.

| Pot Size | Rate |
|-----------|-----------------|
| 100 mm | 1 – 2 grams |
| 150 mm | 3.5 – 7 grams |
| 200 mm | 10 - 20 grams |
| 300 mm | 30 – 60 grams |
| 35 litres | 70 - 140 grams |
| 45 litres | 90 - 180 grams |
| 75 litres | 150 – 300 grams |

Topdressing

Same as dibbling

Related Products: the following product has the same elemental analysis with a different release time.

Macracote Extra 3 – 4 Months.
Macracote Extra 12 – 14 Months.