

Macracote Extra

15 3 8 + TE

12 to 14 Months

GUARANTEED ANALYSIS

MACRO ELEMENTS

Total Nitrogen (N)	15 %w/w
Nitrogen (N) as Urea	7.8 %w/w
Nitrogen (N) as Ammonium	4 %w/w
Nitrogen (N) as Nitrate	3.2 %w/w
Total Phosphorus (P)	3.3 %w/w
Water soluble Phosphorus (P)	3 % w/w
Citrate soluble Phosphorus (P)	0.3 %w/w
Total Potassium (K) as sulphate	8.4 %w/w

MICRO ELEMENTS

Sulphur(S) as Sulphate	5.1 %w/w
Magnesium (Mg) as Sulphate	0.78 %w/w
Iron (Fe) as Sulphate	0.37 %w/w
Zinc (Zn) as Sulphate	0.58 %w/w
Manganese (Mn) as Sulphate	0.04 %w/w
Boron (B)	0.01 %w/w

RELEASE RATES

Based on laboratory testing

Temperature in degrees C	5	10	15	20	25	30	35
Approximate days for release	520	480	440	410	380	350	320

When choosing a release rate take into account variation between day and night temperatures.

The above is only a guide as all fertilizers are affected by the complexity and variety of field conditions.

SUGGESTED USAGE RATES

Potting Mixes

2.5 to 5.5 kg per cubic metre. Four kilograms per cubic metre is a common usage level.

Dibbling

2 to 4 kg per cubic metre, divided by the number of pots per cubic metre. See the guide below.

Pot Size

100 mm
150 mm
200 mm
300 mm
35 litres
45 litres
75 litres

Rate

1 – 2 grams
3.5 – 7 grams
10 – 20 grams
30 – 60 grams
70 – 140 grams
90 – 180 grams
150 – 300 grams

Topdressing

Same as dibbling

Related Products: the following product has the same elemental analysis with a different release time

Macracote Extra	3 – 4 Months.
Macracote Extra	8 – 9 Months.